

Matte Barnwood  
XWOOBG20



Matte Red Cedar  
XWOORC21



**NEW**

Black Cedar  
XWOOBC01

Featuring a textured surface  
to evoke burnt wood.

PATENT NUMBER US 10,336,114,B2

# Woodgrain

**An uncompromising, authentic wood siding alternative.**

The appeal of wood through metal siding featuring a detailed grain pattern, low-gloss finish, and authentic color. Unlike wood, metal is fire-resistant, rot-resistant, termite-resistant, and will never need to be retreated or re-stained.

Black Cedar

Matte Red Cedar

**Steelscape's Woodgrain series offers an authentic, high-performance finish for metal siding.**

[www.steelscape.com/woodgrain](http://www.steelscape.com/woodgrain)






# Woodgrain Product Details

<b>Product Overview</b>	Three low-gloss metal siding colors featuring a woodgrain pattern design. Black Cedar features a patented textured pattern designed to evoke the unique charm of burnt wood.
<b>Advantages to End Users</b>	An authentic metal siding finish alternative to traditional wood siding. Metal siding offers a maintenance-free, high-performance solution ideal for extreme environments.
<b>Applications</b>	Ideal for metal siding, including board and batten siding, architectural wall accents, metal log cabins, barndominiums, and more.
<b>Paint System</b>	<b>Matte Barnwood &amp; Matte Red Cedar:</b> Low-gloss Silicone Modified Polyester (SMP) <b>Black Cedar:</b> Textured Super Durable Polyester
<b>Warranty</b>	<b>Matte Barnwood &amp; Matte Red Cedar:</b> 25-year film integrity and chalking warranty <b>Black Cedar:</b> 30-year film integrity and 20-year chalking warranty
<b>Available Thickness</b>	0.0140" - 0.0296" (29 – 22 Gauge)
<b>Available Substrates</b>	TruZinc® (G60 or G90) or ZINCALUME® (AZ50)
<b>Installation</b>	Batch and direction sensitive
<b>Strippable Film</b>	<b>Matte Barnwood &amp; Matte Red Cedar:</b> Standard films suitable <b>Black Cedar:</b> Inquire with Steelscape for film recommendations
<b>Production Location</b>	Kalama, Washington

# Woodgrain Product Performance

	<b>Matte Barnwood</b>	<b>Matte Red Cedar</b>	<b>Black Cedar</b>
	<b>XWOOBG20</b>	<b>XWOORC21</b>	<b>XWOBC01</b>
Solar Reflectivity (SR)	0.35	0.27	0.10
Emissivity	0.88	0.87	0.90
Solar Reflectance Index (SRI)	38	26	4
Gloss	2-6	2-6	2-6
Light Reflectance Value (LRV)	16	11	21



**Request samples today at [steelscape.com](https://steelscape.com)**