Architectural Metal Roofing and Siding COLOR CHART





STANDARD COLORS

DURA TECH™ 5000 - Premium 70% Fluoropolymer (PVDF) Paint System



ZINCALUME® PLUS SRI: 64 • LRV: 67



Cool SIERRA TAN SRI: 55 • LRV: 34



Cool WEATHERED COPPER SRI: 34 • LRV: 11



Cool COLONIAL RED



Cool SLATE GRAY



Cool TAHOE BLUE



Cool LEAF GREEN SRI: 30 · LRV: 11



Cool REGAL WHITE* SRI: 88 • LRV: 75



Cool PEBBLE SRI: 48 • LRV: 27



Cool DARK BRONZE SRI: 32 • LRV: 8



Cool OLD TOWN GRAY



Cool MIDNIGHT BRONZE



Cool REGAL BLUE




Cool FOREST GREEN SRI: 29 • LRV: 9



Cool PARCHMENT SRI: 58 • LRV: 40



Cool WALNUT



Cool TERRA-COTTA SRI: 41 • LRV: 15



Cool ZINC GRAY SRI: 39 • LRV: 20



Cool MATTE BLACK*

SRI: 29 • LRV: 5



Cool SAGE GREEN


SRI: 41 • LRV: 21



PRE-PRIMER (PRE-PRIMED TWO SIDES)

PREMIUM COLOR¹

(Subject to upcharge)



VINTAGE®1 SRI: 22 • LRV: 20

METALLIC COLORS¹

DURA TECH™ mx Premium 70% Fluoropolymer (PVDF) Pearlescent Paint System (Subject to upcharge)



Cool METALLIC SILVER¹

SRI: 65 • LRV: 50



Cool SILVERSMITH1

SRI: 58 • LRV: 54



Cool ZACTIQUE® II1

SRI: 39 • LRV: 22



Cool METALLIC CHAMPAGNE¹

SRI: 54 • LRV: 33



Cool METALLIC COPPER¹

SRI: 53 • LRV: 29

 $Sample\ color\ chips\ are\ available\ upon\ request.\ Consult\ your\ AEP\ Span\ representative\ for\ more\ information.$



DURA TECH™ Fluoropolymer Coatings



TABLE NOTES: ● 24 and 22 GA ○ 24 GA only □ 22 GA only SRI: Solar Reflective Index.				an®	тм Һр	am®	s	Prestige Series®	Perception Collection®	el			Nu-Wave® Corrugated			am™	. 46"	Flat Sheet 48 %"
LRV: Light Reflectance Value.				Design Span®	Span-Lok [™] hp	Select Seam®	Flex Series	tige S	eptio	Flush Panel	9	Box Rib™	/ave®	PBR Panel	nel	Mini-V-Beam™	Flat Sheet 46"	Sheet
DURA TECH™ <i>5000</i> (PVDF)		SR	E.	Desi	Spar	Sele	Flex	Presi	Perc	Flus	HR-36®	Box	N	PBR	U-Panel	Ä	Flat	Flat :
	Cool Regal White*	88	75	•	•	•		•		•	•	•	•	•	•	•	•	•
	Cool Parchment	58	40	•	•	•		•		•	•	•	•	0	0	0	•	•
	Cool Sierra Tan	55	34	•	•	•		•		•	•	•	•	0	0	0	•	•
	Cool Pebble	48	27	•	•	•		•		•	0	0	0				0	•
	Cool Walnut	38	18	•	•	•		•		•	0	0	0				0	•
	Cool Weathered Copper	34	11	•	•	•		•		•	•	•	•	0	0	0	•	•
	Cool Dark Bronze	32	8	•	•	•		•		•	•	•	•	0	0	0	•	•
	Cool Terra-Cotta	41	15	•	•	•		•		•	•	•	•	0	0	0	•	•
	Cool Colonial Red	35	9	•	•	•		•		•	0	0	0	0	0	0	0	•
	Cool Old Town Gray	43	27	•	•	•		•		•	•	•	•	0	0	0	•	•
	Cool Zinc Gray	39	20	•	•	•		•		•	•	•	•	0	0	0	•	•
	Cool Slate Gray	33	12	•	•	•		•		•	•	•	•	0	0	0	•	•
	Cool Midnight Bronze	27	7	•	•	•		•		•	•	•	•				•	•
	Cool Matte Black*	29	5	•	•	•		•		•	•	•	•	0	0	0	•	•
	Cool Tahoe Blue	33	14	•	•	•		•		•	•	•	•	0	0	0	•	•
	Cool Regal Blue	29	10	•	•	•		•		•	•	•	•	0	0	0	•	•
	Cool Sage Green	41	21	•	•	•		•		•	•	•	•				•	•
	Cool Leaf Green	30	11	•	•	•		•		•	•	•	•	0	0	0	•	•
	Cool Forest Green	29	9	•	•	•		•		•	•	•	•	0	0	0	•	•
DURA TECH™ mx (PVDF)¹																		
	Cool Metallic Silver	65	50	•	•	•		•		•	•	•	•	0	0	0	•	•
	Cool Silversmith	58	54	•	•	•		•		•	0	0	0				0	•
	Cool ZACtique® II	39	22	•	•	•		•		•	•	•	•	0	0	0	•	•
	Cool Metallic Champagne	54	33	•	•	•		•		•	•	•	•	0	0	0	•	•

AINT SYSTEM	SMP	PVDF						
OVERALL	Better	Best						
PRICE POINT	Moderate	Higher						
WARRANTY	Long	Longest						
DURABILITY	Improved Weatherability	Highest Weatherability						
APPLICATION	Residential & Commercial	High-end, Architectural/ Commercial						
OTHER ATTRIBUTES	Wide range of colors & gloss options	Excellent chalk & fade resistance						

DURA TECH™ 5000: A premium 70% Fluoropolymer (PVDF) paint system.

DURA TECH™ mx: A premium Fluoropolymer (PVDF) Pearlescent paint system.

VINTAGE® COATED METAL: TruZinc® G90 substrate with a FEVE paint system and graffiti-resistant qualities.

* AVAILABLE IN ALUMINUM .040" ONLY: Stocked in Matte Black and Regal White, and is available in 48" x 10' flat sheet.

Material is painted on both sides. One side is Matte Black and the other is Regal White.

1 BATCH SENSITIVITY: Prints and metallic paint systems are batch sensitive (may have color variation) and are directional in nature. Different batches are not to be mixed on projects. AEP Span recommends requesting a sample before ordering to ensure color accuracy. AEP Span is not responsible for color variations.

OIL CANNING: All flat metal surfaces can display waviness commonly referred to as "oil canning". Oil canning is an inherent characteristic of metal products, not a defect, and therefore is not a cause for panel rejection.

SRI values in accordance with ASTM E1980 and are based on independent testing. Cool Roof Rating Council (CRRC) performance values for CA Title 24 are based on color families and will differ from those listed in table.

REPRESENTATION OF COLORS MAY VARY DUE TO PRINTING LIMITATIONS

N/A N/A

53 29 • • • □ • □ • O O

Sample color chips are available upon request. Consult your AEP Span representative for more information.

SPECIALTY PRINTS, ALUMINUM, CUSTOM COLORS, AND OTHER GAUGES AVAILABLE AS SPECIAL ORDERS

Inquire with your outside sales representative about lead times and minimum order requirements.



Cool Metallic Copper

PREMIUM COLOR 1

BARE (Clear Acrylic Coated)

PRE-PRIMER

ZINCALUME® Plus

Pre-Primed Two Sides

Vintage®









ZINCALUME® Plus